

ALLENTOWN SCHOOL DISTRICT FEASIBILITY STUDY UPDATE

Board Presentation April 22, 2021







FIRM PROFILE

FOUNDED 1964 - 56 years of service in Allentown

SPECIALIZE IN EDUCATION

- 95% OF WORK IS PUBLIC SCHOOL DESIGN
- OVER \$400 MILLION IN CONSTRUCTION

HISTORY WITH ASD

- 1973 FIRST PROJECT
- 7 MAJOR BUILDING PROJECTS
- 40+ REROOF, HVAC, BOILERS, WINDOWS, ETC.
- RELIABLE SCHEDULES / PHASING / COSTS

PREVIOUS STUDIES

- TOTAL OF II
- 1993 DISTRICT-WIDE STUDY
- 1995 ELEMENTARY SCHOOLS STUDY
- 2016 FIVE BUILDING STUDY
- 2017 DISTRICT-WIDE STUDY





Jefferson Elementary School 1910




Harrison-Morton Middle School 1874



Raub Middle School 1923





BRESLIN RIDYARD FADERO ARCHITECTS



BOARD QUESTIONNAIRE - KEY TAKEAWAYS: Site Selection / Divestment Study Priorities: Compare the value of New Construction vs. Renovations; Provide healthy education environments for students Student E Greatest Needs at Middle Schools: Overwhelming concern for poor condition of existing schools and the inability of aging buildings to support quality, contemporary education models Community Space / Pa Recommended Solutions: New Schools heavily favored over Renovation/ **Expansion**; Consider Magnet Schools **Grade Alignment:** PreK-8 and 9-12 selected as often as current structure; Key considerations identified are the age range of students and program focus **Building Size:** Responses leaned toward larger buildings over smaller Considerations for Project type: Building condition; Educational support; Open Building Physical condition 15% space **Building 21** Sites to Consider: Building 21 indicated most often; followed by State Hospital, reet Park 5% Mosser Woods and Administration Building Kinley ES 5% **Harrison-Morton MS Effective Educational Support** eland ES 5% 10%

State Hospital



ky Royle

CATEGORY

S = SITE B = BUILDING

P = PLUMBING

E = ELECTRICAL

H = HVAC

1 = Excellent Condition - Does not need to be addressed in the next 10 years


ADA = ACCESSIBILITY LS = LIFE SAFETY

2 = Very Good Condition - Does not need to be addressed in the next 5 years

3 = Good Condition - Satisfactory for now, but should be budgeted for within the next 5 years

4 = Poor Condition - Should be addressed within the next 3 years for repair or replacement 5 = Critical Condition - Should be addressed immediately

Note: Priority is related to the Capital Improvement Plan relevance. Number may be low because of grandfathering.



Harrison-Morton Capital Improvement Plan

Allentown School District Feasibility Study Update

updated May 18, 2020

Item #	School	Item	Category	I	Unit (sf, lf, s, etc)	Item	y	Co	ommen	t
1.1	HARRISON MS	Sidewalk replacement	S	10,626	sf	\$ 12.00				
1.2	HARRISON MS	Storm water collection system	S	400	lf	\$ eplacement	S	n downspo causing		discharging onto ditions.
2	HARRISON MS	Pavement replacement	S	10,862	sf	\$ n water collection system	S	40.		
3	HARRISON MS	Exterior concrete stair replacement	S	286	sf	avement replacement	S	10.862	alls and	handrails
4.1	HARRISON MS	Asbestos Abatement	В	1	ls	Exterior concrete stair replacement	8	286		
4.2	HARRISON MS	Reconstruct soffit on east side of building	В	220	96	Ashestos Abatement	В	1		
4.3	HARRISON MS	Install floor tile	В	54,516	MS	Reconstruct soffit on east side of building	В	220	sf	
4.4	HARRISON MS	Install pipe insulation	В	625	V MS	Install floor tile	В	54.516	sf la	\
4.5	HARRISON MS	New whiteboards	В		NMS	Install pipe insulation	В	625	If	
4.6	HARRISON MS	New tackboards	В	,	NMS	New whiteboards	В	4,032	sf .	3
5.1	HARRISON MS	Radon testing	В		RMS	New tackboards	В	2.016	sf	\$
5.2	HARRISON MS	Install radon mitigation system	В			Radon testing	В	1	ls.	\$
6	HARRISON MS	Lead testing	В	173874738		Install radon mitigation system	В	1	In	5
7		Roof replacement	∖B	28, IHISON		Lead testing Roof replacement	В	28.900	ls uf	3
8	HARRISON MS	Mndow replacement	B	BRISON	-	Window replacement	8	11,100	nf	6
9	HARRISON MS	General brick and limestone restoration	В	RRISON	2.10111	General brick and Irrestone restoration	В	1	lo lo	6
10	HARRISON MS	Settlement cracks in the exterior brick of the SE Boys Locker Room Addition.	В	ARRISON		Settlement cracks in the exterior brick of the SE Boys Locker Room	В	1	II	\$
11.1	HARRISON MS	Modify classroom door vestibule to meet ADA requirements	ADA	ARRISON	N MS	Modify classroom door vestibule to meet ADA requirements	ADA	45	ea	s
11.2	HARRISON MS	Interior single door replacement: New frames, doors and hardware to neet ADA requirements	ADAAS	RRISON	-	Interior single door replacement: New frames, doors and hardware to meet ADA requirements	ADALS	106	ca	8
12	HARRISON MS	nterior double door replacement: New frames, doors and hardware to meet ADA requirements	ADALS	2RAISON	N MS	Interior double door replacement: New frames, doors and hardware to meet ADA requirements	ADALS	23	pr	\$
13	HARRISON MS	Exterior double door replacement: Install electric strike, power, FRP doors, hardware and frames.	ADA/LS	10 01506		Exterior double door replacement: Install electric strike, power, FRP doors, hardware and frames.	ADALS	10	pr	8
14	HARRISON MS	Replace stair fire doors and hardware with hold-open devices to improve student traffic flow.	В	13	4 MIS	Replace stair fire doors and hardware with hold-open devices to improve student traffic flow.	В	13	pr	1
15	HARRISON MS	Provide ADA signage	ADA	200		Provide ADA signage	ADA	200	ca	
16		Miscellane us plaster repairs	В	1		Miscellaneous plaster repairs Paint interior walls	В	151,398	ls ed	_
17	HARRISON MS	Paint interior valls	В	151,398		Replace stair handrails to meet current standards	ADA	860	- 5	
18		Replace stair handrails to meet current standards	ADA	860		Renovate toilet rooms to meet ADA standards	ADA	3,590	ode l	neight: 2'-10".
19		Renovate toilet rooms to meet ADA standards	ADA	3,590	sf	stall area of rescue assistance intercom	ADA	2		
20		Install area of rescue assistance intercom	ADA	2	- Is	Sive and install new terrazzo flooring	В	4.54		
21	HARRISON MS	Remove and install new terrazzo flooring	В	4,500	sf	S student corridor lockers (2 high: 15"n x 18"d x 72"h)	В			
			_				В			
22	HARRISON MS	Replace student corridor lockers (2 high: 15"h x 18"d x 72"h)	-	425	ea		- 0	_		
23		Area B: Renovate home economics, art and science rooms	В	5,594	St	hand area				
24		Area B: Remove science room stepped seating	В	910	sf	\$ 20.00				
25	HARRISON MS	Provide ADA access to the band area	В	1	ls	\$ 40,000.00 \$ 48,000.00 \$ 58,560.00 2				



CAPITAL PLAN ESTIMATES

TOTAL	\$82,023,412
Jefferson Elementary School (575 Student Capacity)	\$17,615,358
Harrison-Morton Middle School (785 Student Capacity)	\$30,687,430
Francis D. Raub Middle School (897 Student Capacity)	\$33,720,624
SCHOOL	ESTIMATED COST





ENROLLMENT PROJECTIONS


MIDDLE SCHOOLS (6-8)	CURRENT FUNCTIONAL CAPACITY	ACTUAL ENROLLMENTS	DECISIONINSITE 10 YR MAXIMUM PROJECTED ENROLLMENT	PDE PROJECTIONS		MAX/MIN CAPACITY DIFFERENCE
		11/3/2020		2024/2025	2029/2030	year varies
Harrison-Morton	785	883	863	NOTE 2	NOTE 2	-78
Raub	897	1,002	1,081	NOTE 2	NOTE 2	-184
South Mountain	1,039	1,244	1,244	NOTE 2	NOTE 2	-205
Trexler	781	828	828	NOTE 2	NOTE 2	-47
TOTALS:	3,502	3,957	4,016	3,455	3,740	-514
				(5 year)	(10 year)	
ELEMENTARY SCHOOLS (K-5)	CURRENT PDE CAPACITY				2024-2025	
Jefferson	575	527	564	NOTE 2	NOTE 2	11
TOTALS:	575	527	564	NOTE 2	NOTE 2	11

NOTES:

- 1. The PDE Capacity includes regular classrooms only and does not include Temporary Classrooms, Special Education Classrooms, ESOL Classrooms
- 2. PDE Projections are not available for individual schools
- 3. Max/Min Capacity Difference is based on the highest projected amount of students compared to the current PDE capacity of each individual school and is expressed as either the most students above or the least students below the current PDE Capacity.
- 4. Functional capacity for Middle Schools is calculated based on a 0.8 Utilization factor










1,200 ,081 Students PROJECTED ELEMENTARY SCHOOL ENROLLMENTS 1,000 800 600 400 200 SCHOOL YEAR







OPTION 1

TOTAL	\$155,600,000
New 600 Student Magnet Middle School	\$65,200,000
Renovate Harrison-Morton Middle School (725 Student Capacity)	\$42,400,000
Renovate Raub Middle School (837 Student Capacity)	\$48,000,000
COMPONENT	ESTIMATED COST





BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS


NEW SITE AREA 0 acres
CXISTING BITC ATICA 2.42 acres
TOTAL SITE AREA 2.42 acres

EXISTING BUILDING 180.500 sq. ft. STUDENT GAPACITY 607 students PARKING XS spaces

nts Futher

This Exhibit represents an Architectural Evaluation. Further Cite & Zoning Analysis will be required. SITE VIABILITY PLAN
RAUB

AN OPT. IA



BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS

NEW SITE AREA Cacres
EXISTING SITE AREA 1.77 acres

EXISTING BUILDING 151,400 sq. ft. 0TUDDNT CAPADITY 725 students PARKING 72 spaces

This Exhibit represents an Architectural Evaluation. Further Gits & Zoring Analysis will be required.




OPTION 1

ADVANTAGES

- Lowest first cost
- No land acquisition required
- Maintains current school locations
- Provides east side Middle School

DISADVANTAGES

- Disruptive phased renovations will take minimum 1.5 to 2 years
- 100% ADA access not feasible at existing schools
- Increased maintenance costs moving forward
- Outdoor athletic / PE space is very limited
- Parking is very limited
- Construction staging area is very limited






OPTION 2

TOTAL	\$171,300,000
Middle School Addition at Building 21 (1,000 Student Capacity)	\$89,300,000
New Middle School at American Parkway site (900 Student Capacity)	\$82,000,000
COMPONENT	ESTIMATED COST





BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS

NEW SITE AREA 4.41 acres
EXISTING SITE AREA 2.13 acres
TOTAL SITE AREA 6.54 acres

EXISTING SITE PLAN OPT IIA



BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS

NEW SITE AREA 4.41 acres EXISTING SITE AREA 2.13 acres TOTAL SITE AREA 6.54 acres


NEW BUILDING STUDENT CAPACITY PARKING 190,000 sq. ft. 900 students 108 spaces This Exhibit represents an Architectural Evaluation. Further Site & Zoning Analysis will be required.


SITE VIABILITY PLAN

AMERICAN PARKWAY

N OPT IIA

North





BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS


EW SITE AREA 0 acre
XISTING SITE AREA 11 acre

EXISTING BUILDING STUDENT CAPACITY PARKING 70,000 sq. ft. 550 students lined spaces This Exhibit represents an Architectural Evaluar Further Site & Zoning Analysis will be required. SITE VIABILITY PLAN

BUILDING 21

OPT. IIB & IIIC

North 0 50 100 20



BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS


NEW SITE AREA 0 acres
EXISTING SITE AREA 11 acres
TOTAL SITE AREA 11 acres

NEW M.S. BUILDING STUDENT CAPACITY PARKING

SITE VIABILITY PLAN

BUILDING 21

OPT. IIB & IIIC



OPTION 2

ADVANTAGES

- New state-of-the-art Middle School in 1st Ward with no disruption to HMS during construction
- American Parkway site is adjacent to District-owned athletic field
- Improves Building 21 with new shared core facilities
- New state-of-the-art Middle School closer to downtown student concentration


DISADVANTAGES

American Parkway site

- Requires land acquisition
- Additional cost for demolition
- Flood plain increases cost of development
- Four-story school will span Gordon Street

Building 21 site

- Sloping site creates challenges that add cost
- Flood plain limits development at southern end







OPTION 3

COMPONENT	ESTIMATED COST
New Middle School on the Bucky Boyle site (900 Student Capacity)	\$74,300,000
Middle School Addition at Building 21 (1000 Student Capacity)	\$89,300,000
New Community Athletic Fields (+ cost of property acquisition)	\$6,000,000
TOTAL	\$169,600,000





BRESLIN RIDYARD FADERO ARCHITECTS

ADDITIONAL SITE AREA 1.06 acres (86 + 20)
EXISTING PARK AREA 7.84 acres
TOTAL SITE AREA 8.90 acres

This Exhibit represents an Architectural Evaluation Further Site & Zoning Analysis will be required. SITE VIABILITY PLAN

BUCKY BOYLE PARK

North

North

100 200 300



BRESLIN RIDYARD FADERO ARCHITECTS


NEW M.S. SITE AREA 6.40 acres REMAINING PARK AREA 2.50 acres TOTAL SITE AREA 8.90 acres

NEW BUILDING STUDENT CAPACITY PARKING

190,000 sq. ft 900 student 36 space

This Exhibit represents an Architectural Evaluation Further Site & Zoning Analysis will be required.





BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS

NEW SITE AREA 0 acres
EXISTING SITE AREA 11 acres
TOTAL SITE AREA 11 acres

NEW M.S. BUILDING STUDENT CAPACITY PARKING This Exhibit represents an A Further Site & Zoning Analys SITE VIABILITY PLAN

BUILDING 21

OPT. IIB & IIIC

North 0 50 100 200

OPTION 3

ADVANTAGES

- Keeps Middle School in 1st Ward
- Improves Building 21 with new shared core facilities
- New state-of-the-art Middle School closer to downtown student concentration

DISADVANTAGES

Bucky Boyle site

- Requires land acquisition
- Safety concerns nearby
- Difficult to replace Community Athletic Fields in the area
- Requires offsite pedestrian and vehicle access improvements
- Parking is very limited
- Construction staging area is very limited

Building 21 site


- Sloping site creates challenges that add cost
- Flood plain limits development at southern end





ADDITIONAL OPTIONS

DESCRIPTION	ESTIMATED COST
1. New Magnet School on State Hospital Site (600 Student Capacity)	\$63,760,000
2. Expand Building 21 (with CTE program)	\$8,493,400
3. Expand Building 21 (with District Admin.)	\$16,719,800
4. Replace Jefferson Elementary (700 Student Capacity)	\$38,000,000
5. Renovate Jefferson Elementary (525 Student Capacity)	\$28,500,000







BRESLIN RIDYARD FADERO ARCHITECTS
BUILDING SITE AREA
EXISTING SITE AREA
EXISTING SITE AREA

STATISTICS

BUILDING SITE AREA 8.7 acres* EXISTING SITE AREA 186.3 acres TOTAL SITE AREA 195.0 acres *(includes 3 acre soccer field) NEW BUILDING 160,000 sq. ft. STUDENT CAPACITY 600 students PARKING 107 spaces This Exhibit represents an Architectural Evaluation. Further Site & Zoning Analysis will be required.






BRESLIN RIDYARD FADERO ARCHITECTS


STATISTICS

BUILDING SITE AREA 8.7 acres' EXISTING SITE AREA 186.3 acres TOTAL SITE AREA 195.0 acres NEW BUILDING 160,000 sq. ft. STUDENT CAPACITY 600 students PARKING 107 spaces This Exhibit represents an Architectural Evaluation. Further Site & Zoning Analysis will be required.

SITE VIABILITY PLAN ADDITIONAL OPT 1

STATE HOSPITAL TOWN SQUARE OPTION





BRESLIN RIDYARD FADERO ARCHITECTS


STATISTICS

NEW SITE AREA 0 acres EXISTING SITE AREA 11 acres TOTAL SITE AREA 11 acres NEW M.S. BUILDING 206,000 sq. ft. STUDENT CAPACITY 1,000 students BUILDING 21 ADDITION 23,500 sq. ft. PARKING 172 spaces This Exhibit represents an Architectural Evaluation. Further Site & Zoning Analysis will be required. SITE VIABILITY PLAN

ADDITIONAL OPT. 2

BUILDING 21





BRESLIN RIDYARD FADERO ARCHITECTS

STATISTICS

NEW SITE AREA 0 acres EXISTING SITE AREA 11 acres TOTAL SITE AREA 11 acres

NEW M.S. BUILDING STUDENT CAPACITY DISTRICT ADMIN.


206,000 sq. ft.


1,000 students
42,000 sq. ft.
172 spaces

SITE VIABILITY PLAN

ADDITIONAL OPT. 3

BUILDING 21





ELEMENTARY SCHOOL STUDY

STATISTICS

BRESLIN RIDYARD FADERO ARCHITECTS

NEW SITE AREA EXISTING SITE AREA TOTAL SITE AREA

res EXISTING BUILDING res STUDENT CAPACITY res EXISTING PARKING

105,114 sq. ft. 525 students 8 spaces

This Exhibit represents an Architectural Evaluation Further Site & Zoning Analysis will be required.





ELEMENTARY SCHOOL STUDY

STATISTICS

BRESLIN RIDYARD FADERO ARCHITECTS

NEW SITE AREA 0 as EXISTING SITE AREA 2 as TOTAL SITE AREA 2 as NEW E.S.BUILDING STUDENT CAPACITY PARKING 85,000 sq. ft. 700 students 42 spaces

t. This Exhibit represents an Architectural Evaluation s Further Site & Zoning Analysis will be required.







Scan the QR Code or...

Navigate to www.breslinarchitects.com


Step 1: Select Profile Tab



Step 2: Select Newsworthy Tab



Step 3: Select Top Image









THANK YOU!

